Notice of Allowability	Application No.	Applicant(s)
	09/908,979	SPENCE ET AL.
	Examiner	Art Unit
	Sudhanshu C. Pathak	2634
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to April 25 th , 2005.		
2. The allowed claim(s) is/are 1, 4-10, 13-19 & 22-27 and re-numbered as claims 1-21 respectively.		
3. The drawings filed on <u>July 20th, 2001</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. 		
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary (Paper No./Mail Date 8), 7. ☑ Examiner's Amendm	e

DETAILED ACTION

1. Claims 1, 4-10, 13-19 & 22-27 are pending in the application.

2. Claims 2-3, 11-12 & 20-21 have been canceled.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David A. Blumenthal on July 11th, 2005.

- In order to avoid a 35 U.S.C. 112, 2nd Paragraph rejection the claims have been amended as follows:
 - ➤ In Claim 13, line 1 replace "The system according to claim 1" withThe system according to claim 10.....

Allowable Subject Matter

4. Claims 1, 4-10, 13-19 & 22-27 and re-numbered as claims 1-21 respectively are allowable over the prior art of record because the cited references do not contain the specified limitation of a method of adaptive synchronization of a data sink device to a data source device coupled by a USB, comprising the steps of: receiving data at a buffer of said sink device at an average data rate representative of a data rate of said source device; determining a data level for said buffer based on input packet size and output packet size; comparing an

Application/Control Number: 09/908,979

Art Unit: 2634

Page 3

accumulated data level for said buffer with a threshold level; correcting a clock frequency for said sink device when said accumulated data level exceeds said threshold level, said corrective step correcting the clock frequency by an amount equal to a constant K divided by a drift time required for the accumulated data level to a drift from a reference level to the threshold level; and inhibiting a next execution of said comparing step and said correcting step for a predetermined period after said correcting step.

Conclusion

- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sudhanshu C. Pathak whose telephone number is (571)-272-3038. The examiner can normally be reached on M-F: 9am-6pm.
 - If attempts to reach the examiner by telephone are unsuccessful, the
 examiner's supervisor, Stephen Chin can be reached on (571)-272-3056
 - The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/908,979

Art Unit: 2634

Information regarding the status of an application may be obtained from
the Patent Application Information Retrieval (PAIR) system. Status
information for published applications may be obtained from either Private
PAIR or Public PAIR. Status information for unpublished applications is
available through Private PAIR only. For more information about the PAIR
system, see http://pair-direct.uspto.gov. Should you have questions on

access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

Sudhanshu C. Pathak

STEPHIN CHIN SUPERVISORY PATENT EXAMINE Page 4

TECHNOLOGY CENTER 2600